ELSEVIER

Molecular Brain Research 77 (2000) 295–297

MOLECULAR BRAIN RESEARCH

www.elsevier.com/locate/bres

Author index

Abraham, W.C., see Williams, J.M. (77) 258
Agarwal, N., see Krishnamoorthy, R. (77) 125
Altschuler, R.A., see Nakagawa, H. (77) 246
Anand, R., see Anegawa, N.J. (77) 163
Anderson, M.F., see Sims, N.R. (77) 176
Anegawa, N.J., Guttmann, R.P., Grant, E.R., Anand, R., Lindstrom, J. and Lynch, D.R.
N-Methyl-D-aspartate receptor mediated toxicity in nonneuronal cell lines: characterization using fluorescent measures of cell viability and reactive oxygen species production (77) 163
Arch, J.R.S., see Cai, X.J. (77) 131

Baker, S., see Raghunath, M. (77) 151
Bannerman, P., see Raghunath, M. (77) 151
Bao, J., see Caba, M. (77) 222
Barone, F.C., see Irving, E.A. (77) 65
Beckmann, A.M., see Williams, J.M. (77) 258
Billinton, A., Ige, A.O., Wise, A., White, J.H., Disney, G.H., Marshall, F.H., Waldvogel, H.J., Faull, R.L.M. and Emson, P.C.
$GABA_B$ receptor heterodimer-component localisation in human brain (77) 111
Bitoun, M. and Tappaz, M.
Gene expression of taurine transporter and taurine biosynthetic enzymes in brain of rats with acute or chronic hyperosmotic plasma. A comparative study with gene expression of myo-inositol transporter, betaine transporter and sorbitol biosynthetic enzyme (77) 10
Blanco, R., see Ferrer, I. (77) 270
Borgmeyer, U., see Lorke, D.E. (77) 277
Bowes Rickman, C., see Yarovinsky, T.O. (77) 95
Buckingham, R.E., see Cai, X.J. (77) 131
Burbach, J.P.H., see van Schaick, H.S.A. (77) 104

Caba, M., Bao, J., Pau, K.-Y.F. and Spies, H.G.
Molecular activation of noradrenergic neurons in the rabbit brainstem after coitus (77) 222
Cai, X.J., Lister, C.A., Buckingham, R.E., Pickavance, L., Wilding, J., Arch, J.R.S., Wilson, S. and Williams, G.
Down-regulation of orexin gene expression by severe obesity in the rats: studies in Zucker fatty and Zucker diabetic fatty rats and effects of rosiglitazone (77) 131
Chaitin, M.H., see Krishnamoorthy, R. (77) 125
Chang, C., see van Schaick, H.S.A. (77) 104
Chou, A.H., Zheng, S., Itsukaichi, T. and Howard, B.D.
Wnt-1 inhibits nerve growth factor-induced differentiation of PC12 cells by preventing the induction of some but not all late-response genes (77) 232
Copeland, N.G., see Parker, R.M.C. (77) 199
Corigliano-Murphy, A., see Namboodiri, M.A.A. (77) 285
Couzens, M., see Parker, R.M.C. (77) 199
Crawford, J., see Parker, R.M.C. (77) 199
Culhane, A.C., see Wheeler, R.D. (77) 290

Damodar Reddy, C., see Raghunath, M. (77) 151
Diamond, R.H., see Yarovinsky, T.O. (77) 95
Disney, G.H., see Billinton, A. (77) 111
Dong, Y., Guido, M.E., Robertson, H.A. and Rusak, B.
Selective regional blockade of *junB* gene expression in the hamster suprachiasmatic nucleus by a tyrosine kinase inhibitor (77) 29

Emson, P.C., see Billinton, A. (77) 111
Erdtmann-Vourliotis, M., Mayer, P., Riechert, U. and Höllt, V.
Prior experience of morphine application alters the c-*fos* response to MDMA ('ecstasy') and cocaine in the rat striatum (77) 55
Eyre, H.J., see Parker, R.M.C. (77) 199

Faull, R.L.M., see Billinton, A. (77) 111
Ferrer, I. and Blanco, R.
N-myc and c-myc expression in Alzheimer disease, Huntington disease and Parkinson disease (77) 270
Finck, B.N., see Heyen, J.R.R. (77) 138
Fujisawa, H., see Nakamura, Y. (77) 76
Furuyama, J.-i., see Sasaki, K. (77) 209

Gao, Y., see Sasaki, K. (77) 209
Ge, Y.-W., see Lahiri, D.K. (77) 185
George, S.R., see Liu, I.S.C. (77) 281
Gilbert, D.J., see Parker, R.M.C. (77) 199
Goumon, Y. and Stefano, G.B.
Identification of morphine in the rat adrenal gland (77) 267
Grant, E.R., see Anegawa, N.J. (77) 163
Guido, M.E., see Dong, Y. (77) 29
Guttmann, R.P., see Anegawa, N.J. (77) 163

Hadingham, S.J., see Irving, E.A. (77) 65
Hageman, G.S., see Yarovinsky, T.O. (77) 95
Hall, M.D., see Wheeler, R.D. (77) 290
Hashimoto-Tamaoki, T., see Sasaki, K. (77) 209
Hermans-Borgmeyer, I., see Lorke, D.E. (77) 277
Herzog, H., see Parker, R.M.C. (77) 199
Heyen, J.R.R., Ye, S.-m., Finck, B.N. and Johnson, R.W.
Interleukin (IL)-10 inhibits IL-6 production in microglia by preventing activation of NF-κB (77) 138
Hobbs, L.M., see Sims, N.R. (77) 176
Höllt, V., see Erdtmann-Vourliotis, M. (77) 55
Honda, T., Saitoh, H., Masuko, M., Katagiri-Abe, T., Tominaga, K., Kozakai, I., Kobayashi, K., Kumanishi, T., Watanabe, Y.G., Odani, S. and Kuwano, R.
The coxsackievirus-adenovirus receptor protein as a cell adhesion molecule in the developing mouse brain (77) 19
Howard, B.D., see Chou, A.H. (77) 232

Ichikawa, H., see Sadakata, T. (77) 47
Ige, A.O., see Billinton, A. (77) 111
Irving, E.A., Barone, F.C., Reith, A.D., Hadingham, S.J. and Parsons, A.A.
Differential activation of MAPK/ERK and p38/SAPK in neurones and glia following focal cerebral ischaemia in the rat (77) 65
Ito, E., see Xie, G.-x. (77) 1
Itsukaichi, T., see Chou, A.H. (77) 232
Iwata, I., see Oda, H. (77) 37

Jenkins, N.A., see Parker, R.M.C. (77) 199
Jiang, G., see Namboodiri, M.A.A. (77) 285
Johnson, R.W., see Heyen, J.R.R. (77) 138

Kakishita, E., see Sasaki, K. (77) 209
Katagiri-Abe, T., see Honda, T. (77) 19
Kitani, T., see Nakamura, Y. (77) 76

0169-328X/00/$ – see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0169-328X(00)00096-6

Kobayashi, K., see Honda, T. (77) 19
Kong, J.Y., see Sims, N.R. (77) 176
Kozakai, I., see Honda, T. (77) 19
Krishnamoorthy, R., Agarwal, N. and Chaitin, M.H.
Upregulation of CD44 expression in the retina during the *rds* degeneration (77) 125
Kumamaru, E., see Sadakata, T. (77) 47
Kumanishi, T., see Honda, T. (77) 19
Kuo, C.-H., see Sadakata, T. (77) 47
Kuriyama, H., see Nakagawa, H. (77) 246
Kuwano, R., see Honda, T. (77) 19

Lahiri, D.K., Song, W. and Ge, Y.-W.
Analysis of the 5′-flanking region of the β-amyloid precursor protein gene that contributes to increased promoter activity in differentiated neuronal cells (77) 185
Lee, C.M., see Raghunath, M. (77) 151
Lindstrom, J., see Anegawa, N.J. (77) 163
Lister, C.A., see Cai, X.J. (77) 131
Liu, I.S.C., George, S.R. and Seeman, P.
The human dopamine $D2_{Longer}$ receptor has a high-affinity state and inhibits adenylyl cyclase (77) 281
Liu, M., see Parker, R.M.C. (77) 199
Lopes da Silva, S., see van Schaick, H.S.A. (77) 104
Lorke, D.E., Süsens, U., Borgmeyer, U. and Hermans-Borgmeyer, I.
Differential expression of the estrogen receptor-related receptor γ in the mouse brain (77) 277
Luheshi, G.N., see Wheeler, R.D. (77) 290
Lynch, D.R., see Anegawa, N.J. (77) 163

Marshall, F.H., see Billinton, A. (77) 111
Maruyama, K., see Xie, G.-x. (77) 1
Mason-Parker, S.E., see Williams, J.M. (77) 258
Masuko, M., see Honda, T. (77) 19
Mayer, P., see Erdtmann-Vourliotis, M. (77) 55
Miki, N., see Sadakata, T. (77) 47

Nakagawa, H., Sato, K., Shiraishi, Y., Kuriyama, H. and Altschuler, R.A.
NMDAR1 isoforms in the rat superior olivary complex and changes after unilateral cochlear ablation (77) 246
Nakamura, Y., Kitani, T., Okuno, S., Otake, K., Sato, F. and Fujisawa, H.
Immunohistochemical study of the distribution of Ca^{2+}/calmodulin-dependent protein kinase phosphatase in the rat central nervous system (77) 76
Namboodiri, M.A.A., Corigliano-Murphy, A., Jiang, G., Rollag, M. and Provencio, I.
Murine aspartoacylase: cloning, expression and comparison with the human enzyme (77) 285
Nishikawa, E., see Sadakata, T. (77) 47
Niu, S.-Y., see Sadakata, T. (77) 47

Oda, H., Iwata, I., Yasunami, M. and Ohkubo, H.
Structure of the mouse NDRF gene and its regulation during neuronal differentiation of P19 cells (77) 37
Odani, S., see Honda, T. (77) 19
Ohkubo, H., see Oda, H. (77) 37
Okuno, S., see Nakamura, Y. (77) 76
Otake, K., see Nakamura, Y. (77) 76

Parker, R.M.C., Copeland, N.G., Eyre, H.J., Liu, M., Gilbert, D.J., Crawford, J., Couzens, M., Sutherland, G.R., Jenkins, N.A. and Herzog, H.
Molecular cloning and characterisation of GPR74 a novel G-protein coupled receptor closest related to the Y-receptor family (77) 199
Parsons, A.A., see Irving, E.A. (77) 65
Patti, R., see Raghunath, M. (77) 151
Pau, K.-Y.F., see Caba, M. (77) 222
Phillips, P.C., see Raghunath, M. (77) 151
Phillips, S., see Sims, N.R. (77) 176
Pickavance, L., see Cai, X.J. (77) 131
Pickering-Brown, S., see Wheeler, R.D. (77) 290
Pierce Palmer, P., see Xie, G.-x. (77) 1
Pietruck, C., see Xie, G.-x. (77) 1
Powell, J.A., see Sims, N.R. (77) 176
Provencio, I., see Namboodiri, M.A.A. (77) 285

Raghunath, M., Patti, R., Bannerman, P., Lee, C.M., Baker, S., Sutton, L.N., Phillips, P.C. and Damodar Reddy, C.
A novel kinase, AATYK induces and promotes neuronal differentiation in a human neuroblastoma (SH-SY5Y) cell line (77) 151
Reith, A.D., see Irving, E.A. (77) 65
Rickman, D.W., see Yarovinsky, T.O. (77) 95
Riechert, U., see Erdtmann-Vourliotis, M. (77) 55
Robertson, H.A., see Dong, Y. (77) 29
Rollag, M., see Namboodiri, M.A.A. (77) 285
Rosmalen, J.G.M., see van Schaick, H.S.A. (77) 104
Rothwell, N.J., see Wheeler, R.D. (77) 290
Rusak, B., see Dong, Y. (77) 29

Sadakata, T., Kuo, C.-H., Ichikawa, H., Nishikawa, E., Niu, S.-Y., Kumamaru, E. and Miki, N.
Purα, a single-stranded DNA binding protein, suppresses the enhancer activity of cAMP response element (CRE) (77) 47
Saitoh, H., see Honda, T. (77) 19
Sakai, T., see Sasaki, K. (77) 209
Sasaki, K., Tamura, S., Tachibana, H., Sugita, M., Gao, Y., Furuyama, J.-i., Kakishita, E., Sakai, T., Tamaoki, T. and Hashimoto-Tamaoki, T.
Expression and role of $p27^{kip1}$ in neuronal differentiation of embryonal carcinoma cells (77) 209
Sato, F., see Nakamura, Y. (77) 76
Sato, K., see Nakagawa, H. (77) 246
Seeman, P., see Liu, I.S.C. (77) 281
Sharma, M., see Xie, G.-x. (77) 1
Shiraishi, Y., see Nakagawa, H. (77) 246
Sims, N.R., Anderson, M.F., Hobbs, L.M., Kong, J.Y., Phillips, S., Powell, J.A. and Zaidan, E.
Impairment of brain mitochondrial function by hydrogen peroxide (77) 176
Song, W., see Lahiri, D.K. (77) 185
Spies, H.G., see Caba, M. (77) 222
Stefano, G.B., see Goumon, Y. (77) 267
Sugita, M., see Sasaki, K. (77) 209
Süsens, U., see Lorke, D.E. (77) 277
Sutherland, G.R., see Parker, R.M.C. (77) 199
Sutton, L.N., see Raghunath, M. (77) 151

Tachibana, H., see Sasaki, K. (77) 209
Tamaoki, T., see Sasaki, K. (77) 209
Tamura, S., see Sasaki, K. (77) 209
Tappaz, M., see Bitoun, M. (77) 10
Tate, W.P., see Williams, J.M. (77) 258
Taub, R., see Yarovinsky, T.O. (77) 95
Tominaga, K., see Honda, T. (77) 19

van Schaick, H.S.A., Rosmalen, J.G.M., Lopes da Silva, S., Chang, C. and Burbach, J.P.H.
Expression of the orphan receptor TR4 during brain development of the rat (77) 104

Waldvogel, H.J., see Billinton, A. (77) 111
Watanabe, Y.G., see Honda, T. (77) 19
Wheeler, R.D., Culhane, A.C., Hall, M.D., Pickering-Brown, S., Rothwell, N.J. and Luheshi, G.N.
Detection of the interleukin 18 family in rat brain by RT-PCR (77) 290
White, J.H., see Billinton, A. (77) 111
Wilce, P.A., see Williams, J.M. (77) 258
Wilding, J., see Cai, X.J. (77) 131
Williams, G., see Cai, X.J. (77) 131
Williams, J.M., Beckmann, A.M., Mason-Parker, S.E., Abraham, W.C., Wilce, P.A. and Tate, W.P.
Sequential increase in Egr-1 and AP-1 DNA binding activity in the dentate gyrus following the induction of long-term potentiation (77) 258
Wilson, S., see Cai, X.J. (77) 131
Wise, A., see Billinton, A. (77) 111

Xie, G.-x., Ito, E., Maruyama, K., Pietruck, C., Sharma, M., Yu, L.-C. and Pierce Palmer, P.
An alternatively spliced transcript of the rat nociceptin receptor ORL1 gene encodes a truncated receptor (77) 1

Yarovinsky, T.O., Rickman, D.W., Diamond, R.H., Taub, R., Hageman, G.S. and Bowes Rickman, C.
Expression of the protein tyrosine phosphatase, phosphatase of regenerating liver 1, in the outer segments of primate cone photoreceptors (77) 95
Yasunami, M., see Oda, H. (77) 37
Ye, S.-m., see Heyen, J.R.R. (77) 138
Yu, L.-C., see Xie, G.-x. (77) 1

Zaidan, E., see Sims, N.R. (77) 176
Zheng, S., see Chou, A.H. (77) 232